



March 18th, 2015

Mr. Bryan Espiritu
QUICKMOUNT PV
2700 Mitchell Dr., Bldg. 2
Walnut Creek, CA 94598

Project Number 114490C

Subject: Laboratory Load Test of the QMHSS with 6061 Base Plate

Dear Mr. Espiritu:

As requested, Applied Materials & Engineering, Inc. (AME) has completed load-testing the QMHSS hardware. The purpose of our testing was to evaluate the tensile (uplift), compression, and lateral (perpendicular and parallel to rafter) load capacity of the QMHSS attached to a 2"x4" Douglas Fir rafter using two 5/16"Ø x 3.5" lag bolts .

SAMPLE DESCRIPTION

Samples were assembled in our laboratory between January 17th and January 23rd, 2015. Mockup configuration consisted of three 16" long rafters at 4.5"o.c., screwed to 1/2" Structural I plywood. The QMHSS is attached through the plywood into a rafter with two 5/16"Ø x 3.5" fasteners installed at the farthest point on the 6061 base plate. QMHSS and 6061 base plate configurations are provided in Appendix A.

TEST PROCEDURES & RESULTS

1. Compressive Load Test

A total of six tests were conducted for compressive load capacity on January 17th, 2015 using a United Universal testing machine. Samples were rigidly attached to the testing machine and a compressive load was applied to the hook. The samples were loaded in compression at a constant rate of axial deformation of 0.09 in. /min. without shock until the hook was bent and came in contact with the test board; displacement at maximum load was recorded. Based on the above testing, the average maximum compression load of the QMHSS attached to a 2"x4" Douglas Fir rafter using two 5/16"Ø x 3.5" lag bolts was determined to be 765 lbf. Detailed results are provided in Table I. Test setup and mode of failure are provided in Appendix B, Figure 1.

The specific gravity and moisture content of the rafters was tested in accordance with ASTM D2395, Method A (oven-dry). The average specific gravity and moisture content was determined to be 0.454 and 9.2 %, respectively.

2. Tensile (Uplift) Load Test

A total of six tests were conducted for tensile load capacity on January 15th, 2015 using a United Universal testing machine. Samples were rigidly attached to the testing machine and an uplift load was applied to the hook. The samples were loaded in tension at a constant rate of axial deformation of 0.09 in./min. without shock until failure occurred; displacement at maximum load was recorded. Based on the above testing, the average maximum tensile load of the QMHSS attached to a 2"x4" Douglas Fir rafter using two 5/16"Ø x 3.5" lag bolts was determined to be 1147 lbf. Detailed results are provided in Table II. Test setup and mode of failure are provided in Appendix B, Figure 2.

The specific gravity and moisture content of the rafters was tested in accordance with ASTM D2395, Method A (oven-dry). The average specific gravity and moisture content was determined to be 0.466 and 7.9 %, respectively.

3. Shear (Lateral) Load Test Parallel to Rafter

Six samples were tested for shear strength parallel to rafter on January 21st, 2015 using a United Universal testing machine. Samples were rigidly attached to the testing machine and a shear load was applied to the hook parallel to the rafter. The samples were loaded at a constant rate of axial deformation of 0.09 in./min. without shock until failure occurred. Based on the above testing, the average ultimate load, of the QMHSS attached to a 2"x4" Douglas Fir rafter using two 5/16"Ø x 3.5" lag bolts was determined to be 824lbf. Detailed results are provided in Table III. Test setup and mode of failure are provided in Appendix B, Figure 3.

The specific gravity and moisture content of the rafters was tested in accordance with ASTM D2395, Method A (oven-dry). The average specific gravity and moisture content was determined to be 0.439 and 9.0 %, respectively.

4. Shear (Lateral) Load Test Perpendicular to Rafter

Six samples were tested for shear strength perpendicular to rafter on January 23rd, 2015 using a United Universal testing machine. Samples were rigidly attached to the testing machine and a shear load was applied to the hook perpendicular to rafter. The samples were loaded at a constant rate of axial deformation of 0.09in./min. without shock until failure occurred. Based on the above testing, the average ultimate shear load, of the QMHSS attached to a 2"x4" Douglas Fir rafter using two 5/16"Ø x 3.5" lag bolts was determined to be 1483 lbf. Detailed results are provided in Table IV. Test setup and mode of failure are provided in Appendix B, Figure 4.

Mr. Bryan Espiritu
QUICKMOUNT PV
Laboratory Load Testing of the QMHSS with 6061 Base Plate
March 18th, 2015


Project Number 114490C

The specific gravity and moisture content of the rafters was tested in accordance with ASTM D2395, Method A (oven-dry). The specific gravity and moisture content was determined to be 0.480 and 6.0%, respectively.

If you have any questions regarding the above, please do not hesitate to call the undersigned.

Respectfully Submitted,

APPLIED MATERIALS & ENGINEERING, INC.



Darrius Shuemaker
Laboratory Technician

Reviewed By:



Armen Tajirian, Ph.D., P.E.
Principal

TABLE I
COMPRESSIVE LOAD TEST RESULTS
QMSS- 6061 BASE PLATE
PROJECT NUMBER 114490C

SAMPLE ID	MAXIMUM COMPRESSIVE LOAD (lbf)	DISPLACEMENT AT MAXIMUM LOAD (in.)	FAILURE MODE	RAFTER SPECIFIC GRAVITY	RAFTER MOISTURE CONTENT (%)
C-1	700	2.1	Hook Contact w/ Plywood	0.377	9.2
C-2	780	2.0	Hook Contact w/ Plywood	0.603	9.7
C-3	780	2.2	Hook Contact w/ Plywood	0.500	9.8
C-4	780	2.3	Hook Contact w/ Plywood	0.317	8.4
C-5	765	2.0	Hook Contact w/ Plywood	0.374	9.0
C-6	786	2.1	Hook Contact w/ Plywood	0.522	9.0
AVERAGE	765	2.1	..	0.454	9.2

TABLE II
TENSILE (UPLIFT) LOAD TEST RESULTS
QMSS- 6061 BASE PLATE
PROJECT NUMBER 114490C

SAMPLE ID	MAXIMUM UPLIFT LOAD (lbf)	DISPLACEMENT AT MAXIMUM LOAD (in.)	FAILURE MODE	RAFTER SPECIFIC GRAVITY	RAFTER MOISTURE CONTENT (%)
T-1	1182	3.2	Broken Hook	0.444	7.7
T-2	1175	3.3	Broken Hook	0.476	7.6
T-3	1056	3.0	Broken Hook	0.459	9.4
T-4	1140	3.0	Broken Hook	0.472	7.2
T-5	1164	3.6	Broken Hook	0.444	7.0
T-6	1166	3.1	Broken Hook	0.500	8.5
AVERAGE	1147	3.2	..	0.466	7.9

TABLE III

SHEAR (LATERAL) LOAD TEST PARALLEL TO RAFTER TEST RESULTS

QMSS- 6061 BASE PLATE

PROJECT NUMBER 114490C

SAMPLE ID	MAXIMUM LATERAL LOAD (lbf)	DISPLACEMENT AT MAXIMUM LOAD (in.)	FAILURE MODE	RAFTER SPECIFIC GRAVITY	RAFTER MOISTURE CONTENT (%)
Para-1	787	2.1	Broken Hook	0.481	9.8
Para-2	805	1.4	Broken Hook	0.431	8.7
Para-3	839	1.9	Broken Hook	0.425	8.6
Para-4	834	1.8	Broken Hook	0.520	9.7
Para-5	853	2.0	Broken Hook	0.396	8.4
Para-6	824	1.9	Broken Hook	0.379	8.6
AVERAGE	824	1.9	..	0.439	9.0

TABLE IV

SHEAR (LATERAL) LOAD TEST PERPENDICULAR TO RAFTER TEST RESULTS

QMSS- 6061 BASE PLATE

PROJECT NUMBER 114490C

SAMPLE ID	MAXIMUM LATERAL LOAD (lbf)	DISPLACEMENT AT MAXIMUM LOAD (in.)	FAILURE MODE	RAFTER SPECIFIC GRAVITY	RAFTER MOISTURE CONTENT (%)
Perp-1	1616	4.6	Broken Hook at Base Plate.	0.527	6.3
Perp-2	1645	4.8	Broken Hook at Base Plate.	0.445	6.1
Perp-3	1382	4.2	Broken Hook at Base Plate.	0.551	6.1
Perp-4	1225	3.6	Broken Hook at Base Plate.	0.458	6.5
Perp-5	1627	4.8	Broken Hook at Base Plate.	0.447	6.2
Perp-6	1405	3.7	Broken Hook at Base Plate.	0.452	4.9
AVERAGE	1483	4.3	..	0.480	6.0

REFERENCES

AC13-2010, “*Acceptance Criteria for Joist Hangers and Similar Devices*”, ICC Evaluation Service.

AC85-2008, “*Acceptance Criteria for Test Reports*”, ICC Evaluation Service.

ASTM D1761-2006, “*Standard Test Methods for Mechanical Fasteners in Wood*”, ASTM International.


ASTM D2395-2007, “*Standard Test Method for Specific Gravity of Wood and Wood-Based Materials*”,
ASTM International.

APPENDIX A

FIGURE 1

QMSS- 6061 BASE PLATE

PROJECT NUMBER 114490C



APPENDIX B

FIGURE 1
QMSS- 6061 BASE PLATE
COMPRESSIVE LOAD TEST SETUP
PROJECT NUMBER 114490C



Figure 1a. Test Setup



Figure 1b. Typical Failure Mod

FIGURE 2
QMSS- 6061 BASE PLATE
TENSIL (UPLIFT) LOAD TEST SETUP
PROJECT NUMBER 114490C



Figure 2a. Test Setup



Figure 2b. Typical Failure Mode

FIGURE 3

QMSS- 6061 BASE PLATE

SHEAR (LATERAL) LOAD TEST PARALLEL TO RAFTER

PROJECT NUMBER 114490C



Figure 3a. Test Setup



Figure 3b. Typical Failure Mode

FIGURE 4

QMSS- 6061 BASE PLATE

SHEAR (LATERAL) LOAD TEST PERPENDICULAR TO RAFTER

PROJECT NUMBER 114490C




Figure 4a. Test Setup




Figure 4b. Typical Failure Mode