


QUALITY MOUNTING HARDWARE SOLUTIONS FOR THE PV SOLAR INDUSTRY









Mounting Hardware Solutions for Any Solar Application







PRODUCTS FOR PV SOLAR MOUNTING APPLICATIONS

ROOF MOUNT SYSTEMS



POWER XPRESS™

- Non-penetrating, 5° or 10° tilt commercial flat roof mounting system
- Two major components chassis and clip
- Wind tunnel tested and qualified low ballast weight
- EPDM rubber base (optional) protects roof surfaces
- · Integrated grounding tested to UL standards
- Ballast pans accept standard concrete "cap" blocks



POWER-FAB® CRS Mounts (CRS-G2)

- Non-penetrating, 5° or 10° tilt commercial flat roof mounting system
- Wind tunnel tested and qualified low ballast weight
- Interconnected support structure
- Integrated grounding tested to UL standards
- EPDM rubber base (included) protects roof surfaces
- Ballast pans accept standard concrete "cap" blocks



Ballasted Power Rail™ Mounts (BPRM)

- Non-penetrating, flush mount commercial flat roof system
- Power Rail™ top-clamping system with *Lock-in-Place RAD™ Bolts
- High density, high energy output per square foot
- EPDM rubber (included) protects roof surfaces
- Wind tunnel tested low ballast weight
- · Follows drainage contours of roof



Power Rail™ Mounting System (PRM)

- P4, P6, P8, P14, LD and MD rail options for optimal span-to-cost ratio
- High strength, top-clamping mounting system with *Lock-in-Place RAD™ Bolts
- Parallel to roof, tilted or open structure applications
- · Single tool assembly
- Attachment options for any style roof application or structure
- Integrated grounding options per UL standards



Power Rail™ KTS Mounts (KTS)

- Tilted commercial roof mounting system
- 5° 25° tilt options to maximize energy production
- Ideal for East/West pitching roofs or structures
- Mounts directly to metal roof attachment hardware, structure or roof substrate
- Power Rail top-clamping system with Lock-in-place RAD™ hardware

GROUND AND POLE MOUNT SYSTEMS



Power Peak™

- Designed for Large Scale applications featuring fewer components
- Installs over pile driven standard I-Beams
- Tables optimized to specific site requirements
- Field adjustable faster installation
- Features patented Lock-in-Place RAD™ Bolts
- · Integrated grounding



Multi-Pole Mounts (MPM-G2)

- Designed to mount on 3" or 4" SCH 40/80 pipe (installer supplied)
- Fewer ground penetrations than traditional ground mount systems, saving labor and materials
- Optional ground clearance ideal for shade structures or car ports
- Power Rail™ top-clamping system with *Lock-in-Place RAD™ Bolts
- Seasonal elevation adjustments positive locking brackets



Large Ground Mounts (LGM)

- Fixed tilt, easy to assemble pipe structures
- Designed to specific site requirements
- Power Rail[™] top-clamping system
- TIG-welded, high strength aluminum fittings
- Schedule 40 pipe supplied by installer



Top-of-Pole Mounts (TPM) – Universal (UTPM)

- Heavy gauge steel and aluminum construction
- Securely mount 1 to 18 modules on a single pole
- Standard module-specific design reduces parts and assembly time
- Universal design (UTPM) adapts to most 60-cell modules
- Seasonal elevation adjustments from 15° to 65°
- Mounts on standard Schedule 40 or 80 rigid steel pipe



Side-of-Pole Mounts (SPM)

- Available in painted steel or mill-finish aluminum construction
- Mounting options include band clamps, u-bolts or through bolts
- Adjustable tilt angle
- · Heavy duty stainless steel mounting hardware
- Tower mounting options available







DPW SOLAR — INNOVATIVE SOLUTIONS AND RELIABLE MOUNTING HARDWARE FOR ANY SOLAR APPLICATION

DPW Solar specializes in engineering, designing and manufacturing a wide array of photovoltaic racks and equipment enclosures for residential, commercial, industrial and utility scale applications.

We know solar power systems, and we know what it takes to provide the right combination of innovative products and proven technologies. Our relentless drive to develop innovative product solutions is matched only by our dedication to providing reliable customer support. No matter what your application demands, we have the right set of solutions to meet your needs.





4000 Vassar Dr. NE Albuquerque, NM 87107

Telephone: 800.260.3792 Fax: 505.889.3548

Web Site: www.DPWSolar.com E-mail: info@power-fab.com

© 2014 Preformed Line Products Company

Printed in the U.S.A. SL-BR-1003-9 09.14.1M Preformed Line Products (Canada) Limited 1711 Bishop St. E Cambridge, ON N1T 1N5

Telephone: 519-740-6666

Fax: 519-740-7917

Web site: www.preformed.on.ca Email: sales@preformed.on.ca