K2 Drop N Lock RT - Kits



Patent Pending

DATA SHEET

PRODUCT FEATURES



- / Quick and easy installation drill, drop and lock it
- / Can be installed to the rafter (2 screws) or decking (6 screws)
- / Built-in tabs secure flashing into place
- / No tile interlocking necessary
- / Built-in water diversion
- / K2 EverSeal is preassembled on Universal Base
- / Post included in kit: 4.5" for flat tile, 6" for S & W tile

Part Number	Description
4000234	Drop N Lock RT - Flat, Kit
4000235	Drop N Lock RT - S, Kit
4000236	Drop N Lock RT - W, Kit

TECHNICAL DATA







Item Number	Description	Part Number
1	K2 Drop N Lock Collar, Dark	4000234 Drop N Lock RT - Flat, Kit
2	Drop N Lock RT - Flat, Mill	


	Drop N Lock RT - Flat, Kit
Material	Aluminum with stainless steel hardware
Finish	Mill
Roof Connection	#14x 3in x 5-16in Hex Head Screw
Certification	ASTM D7147 and TAS100
Compatiblilty	CrossRail 44-X Max, 44-X, 48-X, 48-XL, 80
Roof Type	Flat Tiles













Item Number	Description	Part Number
1	K2 Drop N Lock Collar, Dark	4000235 Drop N Lock RT - S, Kit
2	Drop N Lock RT - S, Mill	

	Drop N Lock RT - S, Kit
Material	Aluminum with stainless steel hardware
Finish	Mill
Roof Connection	#14x 3in x 5-16in Hex Head Screw
Certification	ASTM D7147 and TAS100
Compatiblilty	CrossRail 44-X Max, 44-X, 48-X, 48-XL, 80
Roof Type	S Tiles









ł

TECHNICAL DATA


2


Item Number	Description	Part Number
1	K2 Drop N Lock Collar, Dark	4000236 Drop N Lock RT - W, Kit
2	Drop N Lock RT - W, Mill	


	Drop N Lock RT - W, Kit
Material	Aluminum with stainless steel hardware
Finish	Mill
Roof Connection	#14x 3in x 5-16in Hex Head Screw
Certification	ASTM D7147 and TAS100
Compatiblilty	CrossRail 44-X Max, 44-X, 48-X, 48-XL, 80
Roof Type	WTiles
















Drop N Lock Features








Rafter Attached


- / Best as primary attachment method
- / 2 screws required (not included) in center holes
- / Self-tapping and self-sealing




Deck Attached
/ Best as secondary attachment method
/ 6 screws required in all holes of the mount
/ Alternative to rafter connection

CrossRail System & Drop N Lock














K2 Systems, LLC

4665 North Ave. Suite I • Oceanside, CA 92056 • USA +1.760.301.5300 • infous@k2-systems.com www.k2-systems.com/en-us

Everest Solar Systems S de RL de CV

Calle Coral 2628 Int. 1 • Col. Residencial Victoria, CP 44560 • Guadalajara, Jal.• México +52.33.3575.9380 • info@k2-systems.mx www.k2-systems.com/es-mx

K2 Drop N Lock RT - Kits Data Sheet V3 | 0125 • Subject to change Product illustrations are exemplary and may differ from the original. K2 Drop N Lock RT - Kits Data Sheet V3 | 0125 • Subjeta a cambios Las ilustraciones del producto son ejemplares y pueden diferir del original.