

Product data sheet

Characteristics

PK15GTA

Equipment ground bar kit, QO/HOM load center, NQ/NF panelboard, 15 terminals

Product availability : Stock - Normally stocked in distribution facility



Price* : 17.10 USD



Main

Product line	QO
Product type	Load Center Grounding Bar Assembly

Complementary

Number of connectors	15
Wire size	AWG 14...AWG 4 copper AWG 12...AWG 4 aluminium
Provided equipment	2 screw
Bar length	5.63 in (143 mm)
Maximum length of segment	3.15 in (80 mm)
Device mounting	Direct mounting back of enclosure
Tightening torque	30 lb.in Mounting screw 30 lb.in 20 lb.in, AWG 14...AWG 10, copper 20 lb.in, AWG 12...AWG 10, aluminium 25 lb.in, AWG 8 35 lb.in, AWG 6...AWG 4 25 lb.in, AWG 14...AWG 12, copper 25 lb.in, AWG 12...AWG 10, aluminium

Ordering and shipping details

Category	00102 - QO LC ACCESSORIES
Discount Schedule	DE3A
GTIN	00785901026419
Nbr. of units in pkg.	10
Package weight(Lbs)	0.15 lb(US) (0.07 kg)
Returnability	Yes

* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Country of origin	US
-------------------	----

Packing Units

Unit Type of Package 1	PCE
Package 1 Height	0.40 in (1.016 cm)
Package 1 width	1.70 in (4.318 cm)
Package 1 Length	5.80 in (14.732 cm)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Weight	28.00 oz (793.786 g)
Package 2 Height	3.70 in (9.398 cm)
Package 2 width	6.30 in (16.002 cm)
Package 2 Length	6.90 in (17.526 cm)
Unit Type of Package 3	PAL
Number of Units in Package 3	2160
Package 3 Weight	411.00 lb(US) (186.426 kg)
Package 3 Height	28.00 in (71.12 cm)
Package 3 width	40.00 in (101.6 cm)
Package 3 Length	48.00 in (121.92 cm)

Offer Sustainability

REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration

Contractual warranty

Warranty	18 months
----------	-----------

Approximate Dimensions

